

www.stevenmooneymachinery.co.uk

21st November 2024

This is our latest stock list. Please contact us if there is any machine of interest or if you require any additional information on machines. You may contact us via telephone, Email or fax. We look forward to doing business with your company.

CNC LATHES (INC DRIVEN, VERTICAL SPINDLE AND SUB-SPINDLE LATHES)

4244	<u>Used Doosan Puma 2000SY CNC Turning Centre</u> Used Doosan Puma 2000SY CNC Turning Centre, 2005, s/n P2000SY0441, Fanuc 18TB control, Swing over bed 600mm, Swing over saddle 550mm, recommended turning dia 210mm, Maximum turning length 510mm, maximum bar working 65mm dia, Travels – X250, Z580, Y100, B580mm, spindle speed 4,500RPM, Fitting A2-6, spindle index 0.001 degree, Sub-spindle 6,000rpm, 45mm bore dia, spindle index 0.001 degree, 8" chuck main spindle 6" chuck sub-spindle, collet chuck, 12 station turret, C-Axis, Y-Axis, Sub-spindle, Parts catcher, Tool probe, Swarf Conveyor, Driven and Static tooling. MX1B Magazine Bar Feeder	Call for Price
4483	<u>Used Colchester Tornado A50 CNC Lathe</u> Used Colchester Tornado A50 CNC Lathe with Bar feeder, 2002, s/n T50413, Fanuc 21iT Control, max turned dia 170mm, max turned length 350mm, bar cap 42mm, 4000rpm, 5.5kw, 12 stn vdi30 turret, mbf 1000 short mag bar feed, collet chuck & collets, 3 jaw chuck 170mm dia, vdi toolholders, parts catcher, swarf conveyor, hydraulic tailstock	Call for Price
4607	<u>Used XYZ SLX1630</u> Used XYZ SLX1630, 2013, s/n 16p10102, 3 jaw chuck, qctp and holders, swing over bed 400mm, swing over cross slide 218mm, distance between centres 760mm, spindle bore 54mm, 2500rpm, 5.75kw. Control options – TBA, TRAKing. Footprint 2,090 x 1,200 x 1,800mm high, Weight 1,550kgs.	Call for Price
4453	<u>Used XYZ ProTURN RLX425 X 1.25M Lathe</u> Used XYZ ProTURN RLX425 X 1.25M Lathe, 2021, s/n RLX10073, RLX Prototrak Control, Spindle Speed 25-2500 rpm,(three ranges), Swing 480mm, Swing in gap 700mm, Gap in front of faceplate 170mm, Centres 1,250mm, Constant Surface Speed, TRAKing, 3 jaw chuck, Qctp, tailstock, Auto Lube, Coolant, Work light, Spindle Bore 80mm, D1-8 Spindle, Power 7.5kw (10Hp), Air assisted floating Tailstock MT 5, Tailstock travel 160mm, Footprint 2,600mm x 1,480mm x 1,830mm, Weight 2,700Kg. Options – Advanced Features, Network, TRAKing, Advanced Features with Verify	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

-
- 4565** **Used XYZ XL730 x 5 Metre Gap Bed CNC Lathe** Used XYZ XL730 x 5 Metre Gap Bed CNC Lathe, 2021, s/n XYZ-C0-068C, Siemens 828D ShopTURN Control, Swing over bed 730mm, Swing over cross slides 510mm, Maximum turning Diameter 730mm, Cross travel 505mm, Distance between centres 5,000mm, Spindle bore 104mm, Spindle nose D1-8, Spindle power 25HP, Spindle speed 50 to 1,500rpm – 2 ranges, 635mm 4-Jaw Chuck, Indexing Toolpost, Tailstock, Tailstock quill 5MT, Swarf Conveyor, Footprint 7,700 x 2,500 x 1,730mm tall, weight 7,800kgs. Call for Price
-
- 4192** **Used XYZ TC320LTY CNC Turning Centre** Used XYZ TC320LTY CNC Turning Centre, 2021, s/n STN20111, Siemens 828D, Driven Tool, Y-Axis, 320mm turn dia, 550mm turn length, bar cap 78mm, 32kw, vdi40 12 stn turret, 315mm chuck, toolsetter, Parts catcher, swarf conveyor, 2 axial & 2 radial driven toolholders & static toolholders. Call for Price
-
- 4528** **Used XYZ ProTURN SLX355 CNC Lathe** Used XYZ ProTURN SLX355 CNC Lathe, 2019, Ser SL600, swing over bed 360mm, distance between centres 1000mm, spindle speed 50-4,000, 2 ranges, spindle bore 52mm, 3 Jaw Chuck, QCTP and Holders, Options – Advanced features with verify, network, TRAKing, Footprint 2,300 x 1,370 x 1,810mm high, Weight 1,955kgs – Link to Video:- https://youtu.be/rFNM8x_1UAU Call for Price
-
- 4541** **Used XYZ Protturn SLX1630** Used XYZ Protturn SLX1630, 2015, s/n 16P0308-123, 3 jaw chuck, qctp and holders, swing over bed 400mm, swing over cross slide 218mm, distance between centres 760mm, spindle bore 54mm, 2500rpm, 5.75kw. Control options – TBA, TRAKing. Footprint 2,090 x 1,200 x 1,800mm high, Weight 1,550kgs. Call for Price
-
- 4482** **Used Colchester Tornado A50 CNC Lathe** Used Colchester Tornado A50 CNC Lathe with Bar feeder, 1998, s/n T50019, Fanuc 21iT Control, max turned dia 170mm, max turned length 350mm, bar cap 42mm, 4000rpm, 5.5kw, 12 stn vdi30 turret, mbf 1000 short mag bar feed, collet chuck & collets, 3 jaw chuck 170mm dia, vdi toolholders, parts catcher, swarf conveyor. Note no tailstock Call for Price
-
- 4199** **Used XYZ XL1100 x 2M CNC Lathe** Used XYZ XL1100 x 2M CNC Lathe, 2007, s/n NC-A7-058C, Siemens 810D control, Swing over bed 1,100mm, Swing over cross slide 750mm, Distance between centres 2 metres, Spindle bore 160mm, Spindle motor 40hp, 20 to ,660rpm, c/w 1 metre 4 jaw chuck, 4-way tool post, 3 pt steady, swarf conveyor, Footprint 4,930 x 2,300 x 2,200mm high, Weight 8,100kgs Call for Price

CNC VERTICAL MACHINING CENTRES (INC 5-AXIS M/C'S)

- 3640** **Used Haas Model VF0 Vertical CNC Machining Centre** Used Haas Model VF0 Vertical CNC Machining Centre, 2000, s/n 19776, table 660 x 356mm, trav 508 x 406 x 508mm, bt40, 20atc, 14.9kw, 7500rpm, Note No Swarf Auger Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4178	Used XYZ UMC-5X CNC 5-Axis Machining Centre Used XYZ UMC-5X CNC 5-Axis Machining Centre, 2018, s/n 172822052, Siemens 840DSL ShopMill Control, Travels X-600mm, Y-600mm, Z500mm, A- (tilt) +120 degrees/-120 degrees, C-360 degrees, Rapids XYZ 36m/min, C- 90rpm, A- 16,6 rpm, Table size 600mm dia, Table capacity 600kgs, 15,000rpm, 32atc, bt40 , 20 bar through spindle coolant, Swarf Conveyor, Laser Tool Setting	Call for Price
4538	Used Haas VF2 Used Haas VF2, 2011, s/n 1083589, Haas (Fanuc compatable) Control, table 914 x 356mm, trav 762 x 406 x 508mm, rapids 35m/min, BT40, 20atc, 10,000rpm, 22.4kw spindle Motor, swarf auger. Complete with – 20 off holders, Kurt Vice, Swarf auger	Call for Price
4136	Used Mazak FJV 250 Double Column Vertical High Precision CNC Machining Centre Mazak FJV 250 Double Column Vertical High Precision CNC Machining Centre, 2002, s/n163006, (FJV1), Mazak 640M- PC Control, Table 1,200 x 500mm, Travels X-1,020mm, Y-510mm, Z-460mm, BT40, 30station ATC, 12,000RPM, c/w 4th axis interface (no 4th axis), Machine dimensions 3,000 x 2,400 x 2,950mm high, 6,700kgs	Call for Price
4592	Used XYZ 500LR Used XYZ 500LR, 2019, s/n SMB10238, Siemens 828D control with Shopmill, Travels X510, Y400, Z450mm, Table 580 x 400mm, Rapid feed 20m/min, Spindle speed 5-8,000RPM, Spindle motor 20HP/15KW, BT40 spindle taper, 12 station ATC, Footprint 1,660 x 1,860 x 2,300mm high, Weight 2,400kgs.	Call for Price
4246	Used Haas VF6/50 CNC Vertical Machining Centre Used Haas VF6/50 CNC Vertical Machining Centre, 2012, s/n 1091950, trav 1626 x 813 x 762mm, table size 1626 x 711mm, Rapids X-13.7m/min, Y- 15.5m/min, Z-15.2m/min, 7500rpm, 2 speed Geared Head, BT50, 30 station atc, 22.4kw spindle power, through spindle coolant, swarf auger, lighting, Fully enclosed guards. Options – High Speed Machining, Co-Ordinate rotation & Scaling, Hard Drive	Call for Price
4489	Used Haas UMC-750 5 Axis Used Haas UMC-750 5 Axis, 2017, s/n 1135513, Haas CNC Control, trunnion table size 630 x 500mm, Travels X-762, Y-508, Z-508, B- +110, -35, C-360, BT40, 15,000rpm, 22.4kw motor, 40atc, through spindle coolant, swarf conveyor, toolsetting & spindle probes, WIPS, (wireless Intuitive Probing System)	Call for Price
4582	Used Gate Smart Mill CNC Vertical Mill Used Gate Smart Mill CNC Vertical Mill, Model SM-2, 2017, s/n 73B0087, Fanuc 0i-MF control, Table 600 x 300mm, Travels X400, Y300, Z500mm, Spindle speed 8,000RPM, BT40 Tooling System, 8 station ATC, 3.7kw spindle motor, Machine dimensions 2,068 x 2,365 x 2,300mm tall, 1,840kgs.	Call for Price

CNC HORIZONTAL MACHINING CENTRES

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

CNC GANTRY TRAVELLING BED AND BED MILLS

4539	Used XYZ ProtoTRAK SMX2500 CNC Bed Mill Used XYZ ProtoTRAK SMX2500 CNC Bed Mill, 2013 s/n E00933, SMX Control, table 1245 x 228mm, trav 780 x 390 x 560mm, 3HP head, R8 spindle taper, c/w Table guards, power drawbar, Options – Advanced Features, Network, Traking, Advanced features with verify, DXF,	Call for Price
4400	Used XYZ ProtoTRAK SMX3500 Bed Mill Used XYZ ProtoTRAK SMX3500 Bed Mill, 2012 s/n 11591, Prototrak SMX3 CNC control, table 1372mm x 355mm, Trav 762 x 508 x 500mm, power drawbar 40int, Guards, Options – Advanced Features, Network, DXF Convertor.	Call for Price
3408	Used XYZ ProtoTRAK VM3500 CNC Bed Mill Used XYZ ProtoTRAK VM3500 CNC Bed Mill, 2005, s/n 10379, Prototrak VM CNC control, table 1372mm x 355mm, Trav 762 x 508 x 508mm, power drawbar 40int, Options – TBC	Call for Price
4231	Used XYZ ProtoTRAK SMX2500 CNC Bed Mill Used XYZ ProtoTRAK SMX2500 CNC Bed Mill, 2018 s/n E01652, SMX Control, table 1245 x 228mm, trav 780 x 390 x 560mm, 3HP head, R8 spindle taper, c/w Table guards, power drawbar, Features – Network	Call for Price
3401	Used XYZ ProtoTRAK SMX3500 Bed Mill Used XYZ ProtoTRAK SMX3500 Bed Mill, 2011 s/n 11367, Prototrak SMX3 CNC control, table 1372mm x 355mm, Trav 762 x 508 x 500mm, power drawbar 40int, Guards, Options – Advanced Features, Network, DXF Convertor	Call for Price
4606	Used XYZ SMX2500 Used XYZ SMX2500, 2013, s/n e00773, SMX Control, table 1245 x 228mm, trav 780 x 390 x 560mm, 3HP head, R8 spindle taper, c/w Table guards, power drawbar, Options – Advanced Features, Network, Traking, Advanced features with verify	Call for Price

CNC EDM SPARK AND WIRE MACHINES

CNC OTHERS

CNC GRINDERS

CNC SHEET METAL

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4TH AXIS UNITS

BAR FEEDERS

4010	<u>Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder</u> Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder, 2003, s/n 4897, 1.650 metre bars, Maximum stroke 1,700mm, 3-80mm dia, overall length 2,100mm, Magazine capacity 23 x 25mm dia or equivalent. Weight 415kgs, Height range 700 to 1,500mm.	Call for Price
4093	<u>Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder</u> Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder, s/n 6517, Max bar length 1.250 metre bars, Maximum stroke 1,300mm, 3-80mm dia, overall length 1,700mm, Magazine capacity 23 x 25mm dia or equivalent. Weight 415kgs, Height range 700 to 1,500mm. Software problem? (Fitted to a Mazak)	Call for Price
4226	<u>Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder</u> Used Hydrafeed MX1B Multifeed Short Magazine Bar Feeder, s/n 6477, Max bar length 1.650 metre bars, Maximum stroke 1,700mm, 3-80mm dia, overall length 2,100mm, Magazine capacity 23 x 25mm dia or equivalent. Weight 415kgs, Height range 700 to 1,500mm. (Fitted to a Mazak)	Call for Price

CHUCKS, COLLET CHUCKS AND COLLETS

3972	<u>Hainbuch Collet Chuck</u> Hainbuch Collet Chuck, SPANNTOP nova Kombi Axfix 80, 2014, Quick change over. Reference A029451.0002C, no.2819037, Max 5500RPM	Call for Price
4599	<u>Used SMW Autoblok 400mm 3 Jaw Power Chuck</u> Used SMW Autoblok 400mm 3 Jaw Power Chuck, model KNCS-N-400-128, JIS A2-11 Fitting	Call for Price
3977	<u>Multibore collets</u> Multibore collets, Type J. Ranging from 60 to 80MM	Call for Price
3971	<u>Hainbuch Collet Chuck</u> Hainbuch Collet Chuck, SPANNTOP nova Axfix Gr.65, 2014, Quick change over. Reference 234190 / no.2703/0007, Max 6000RPM	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4322 **Crawford D185E Spring Collet – Over 120 available – various sizes** Crawford D185E Spring Collet – Over 120 available – various sizes (was known as 4291B60). To suit CDC-60 Crawford Collet Chuck or Klamp CRL60 Call for Price

9761 **Eclipse Magnetic chuck Magnetic chuck** Eclipse Magnetic chuck, 250 x 130mm £125

9762 **Eclipse Magnetic chuck** Eclipse Magnetic chuck, 250 x 125mm £125

TOOL HOLDERS FOR CNC - STATIC AND DRIVEN

4334 **Used BMT55 Angular Driven Tool Holder for CNC Lathes** Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 collet holder, Length of drive to the end of the tang – 103mm Call for Price

8723 **Used Double Ended Axial Driven Tool Holder for CNC Lathes** Used Double Ended Axial Driven Tool Holder for CNC Lathes, ER32, To suit Kia SKT250MS or Similar.Part no.60.6532D1809DW02, s/n 06207340 £850

8703 **Used Mazak Radial Driven tool Holder for CNC Lathes** Used Mazak Radial Driven tool Holder for CNC Lathes, to suit Mazak Smart 350M, ER40, serial no. 5B088000601 £600

9186 **Used BMT55 Angular Driven Tool Holder for CNC Lathes** Used BMT55 Angular Driven Tool Holder for CNC Lathes, ER25 Collet holder, Length of drive to tang – 103mm. (To fit Doosan CNC lathes) £850

8727 **Used Doosan Axial Driven Tool Holder for CNC Lathes** Used Doosan Axial Driven Tool Holder for CNC Lathes, to suit Doosan Puma MX2000 or similar Doosan, ER25 collet, Eppinger, s/n 300907-11, model no. R78691A, 1:1, max 4,000rpm £950

8737 **Used BMT55 Angular Driven Tool Holder for CNC Lathes** Used BMT55 Angular Driven Tool Holder for CNC Lathes, Eppinger, s/n296625-6, model no. R78685, 1:1 ratio, max 6,000rpm Length of drive to Tang – 103mm, (To fit Doosan CNC Lathe) £850

3461 **Used HSK 40 tooling, various** Used HSK 40 tooling, various Call for Price

9518 **Mazak tool holder for CNC Lathes – 40VDI Axial** Mazak tool holder for CNC Lathes – 40VDI Axial V Type Offset Milling Holder, Unused £1,800

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

9527	<u>Used Doosan VTL1620M tool holder for CNC Lathes</u> Used Doosan VTL1620M tool holder for CNC Lathes, Long turning type, horizontally mounted.	£2,000
8759	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, tapping head, Length of drive to the end of the tang – 108mm, (To suit Nakamura lathe)	Call for Price
8704	<u>Used Mazak Static Turning Tool Holder for CNC Lathes</u> Used Mazak Static Turning Tool Holder for CNC Lathes, to suit Mazak Smart 350, 35mm max square, s/n 5B088002700	£200
3536	<u>Used Doosan Driven Tool Holder for CNC Lathes – Radial</u> Used Doosan driven tool holder, for CNC Lathes – Radial, suitable for Doosan CNC Lathes, BMT65 Size	£550
4339	<u>Used BMT55 Straight Driven tool Holder for CNC Lathes</u> Used BMT55 Straight Driven tool Holder for CNC Lathes, ER25, length of drive to end the tang – 108mm	Call for Price
4338	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 Collet chuck, Length of drive to the end of the tang – 108mm	Call for Price
4337	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 Collet holder, Length of drive to the end of the tang – 103mm	Call for Price
4336	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 Collet Holder, Length of drive to the end of the tang – 108mm	Call for Price
4335	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 Collet Holder, Length of drive to the end of the tang – 103mm	Call for Price
8770	<u>Used BMT55 Straight Driven tool Holder for CNC Lathes</u> Used BMT55 Straight Driven tool Holder for CNC Lathes, NTZ1511, Tapping head, length of drive to end the tang – 107mm, (To suit Nakamura lathe)	Call for Price
8743	<u>Used BMT55 Straight Driven tool Holder for CNC Lathes</u> Used BMT55 Straight Driven tool holder for CNC Lathes, Eppinger preci-flex, s/n352963-6, Ref no. 7.071.585, 1:1 ratio, max 6,000rpm (To suit Nakamura WT250 or similar Nakamura)	Call for Price
8765	<u>Used BMT55 Straight Driven tool Holder for CNC Lathes</u> Used BMT55 Straight Driven tool Holder for CNC Lathes, ER20, length of drive to end the tang – 108mm	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4389	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, Eppinger preci-flex, Length of drive to the end of the tang – 103mm	Call for Price
8760	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, Eppinger, s/n296625-6, model no. R78685, 1:1 ratio, max 6,000rpm Length of drive to Tang – 103mm, (To fit Doosan CNC Lathe)	Call for Price
9525	<u>Used Doosan VTL1620M tool holder for CNC Lathes</u> Used Doosan VTL1620M tool holder for CNC Lathes, Short double sided turning type	£2,000
8708	<u>Used Mimatic VDI 40 Axial Driven Tool Holder for CNC Lathes</u> Used Mimatic VDI 40 Axial Driven Tool Holder for CNC Lathes, ER25 collets, prod no. 05.1312.7340.504, serial no. 51085, max 6,500rpm	£900
8733	<u>Used Eppinger Axial Driven Tool Holder for CNC Lathes</u> Used Eppinger Axial Driven Tool Holder for CNC Lathes, ER32, To suit Kia SKT250MS or Similar. Part no. 7.071.760, s/n 271917-10, ratio 1:1, 4,000rpm	£950
8702	<u>Used Mazak Radial Driven tool Holder for CNC Lathes</u> Used Mazak Radial Driven tool Holder for CNC Lathes, 2015, to suit Mazak Smart 350M, ER40, serial no. 9828	£600
9086	<u>Used Tornos CT20 tooling for CNC Lathes</u> UsedTornos CT20 tooling, for CNC Lathes Driven tool holders £425, Static collet chuck £150, Tool blocks £100	£425
8728	<u>Used Okuma Axial Driven Tool Holder for CNC Lathes</u> Used Okuma Axial Driven Tool Holder for CNC Lathes, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.608.088, s/n 180926-7 1:2, 8,000rpm, VDI 40	Call for Price
8735	<u>Used Okuma Axial Driven Tool Holder for CNC Lathes</u> Used Okuma Axial Driven Tool Holder for CNC Lathes, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.609. 88, s/n 180928-? 1:2 ratio, 8,000rpm. VDI 40	Call for Price
9526	<u>Used Doosan VTL1620M tool holder for CNC Lathes</u> Used Doosan VTL1620M tool holder for CNC Lathes, long double ended internal turning holder type, ONE WEDGE MISSING.	£2,000
8713	<u>Used Mazak Axial Driven Tool Holder for CNC Lathes</u> Used Mazak Axial Driven Tool Holder, for CNC Lathes VDI40, ER20, to suit Mazak SQT250MS or similar Mazak.	£650

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

8714	<u>Used Mimatic VDI 40 Axial Driven tool Holder for CNC Lathes</u> Used Mimatic VDI 40 Axial Driven tool Holder for CNC Lathes, ER32 collets, prod no. 05.1311.7340.505, serial no. 50314, max 5,200rpm	£900
8718	<u>Used Axial Driven Tool Holder for CNC Lathes</u> Used Axial Driven Tool Holder for CNC Lathes, VDI40, ER32 collet chuck, s/n 59-0085, model BR1805-2. Unknown lathe	£450
8705	<u>Used Mazak Static Boring Bar Holder for CNC Lathes</u> Used Mazak Static Boring Bar Holder for CNC Lathes, to suit Mazak Smart 350, 50mm bore	£300
8725	<u>Used Double Ended Axial Driven Tool Holder for CNC Lathes</u> Used Double Ended Axial Driven Tool Holder for CNC Lathes, ER32, To suit Kia SKT250MS or Similar.Part no.60.6532D1809DW02, s/n 06207339	£850
8741	<u>Used Doosan Axial Driven Tool Holder for CNC Lathes</u> Used Doosan Axial Driven Tool Holder for CNC Lathes, to suit Doosan Puma 2000M or similar Doosan, ER25 collet, Eppinger Preci-flex,, s/n293992-12, ref no.R78684A, 1:1 ratio, max 6,000rpm. Bearing needs replacing BMT55 Size	£850
9188	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, ER25 Collet Chuck, Length of drive to the end of the tang – 103mm, (Suitable for Doosan Lathes)	£850
9187	<u>Used BMT55 Angular Driven Tool Holder for CNC Lathes</u> Used BMT55 Angular Driven Tool Holder for CNC Lathes, BMT55, Eppinger preci-flex, Length of drive to the end of the tang – 103mm	£850
8706	<u>Used Mazak Radial Driven Tool Holder for CNC Lathes</u> Used Mazak Radial Driven Tool Holder for CNC Lathes, to suit Mazak Smart 350M, ER40, serial no. 5B088000601	£600
8732	<u>Used Okuma Axial Driven Tool Holder for CNC Lathes</u> Used Okuma Axial Driven Tool Holder for CNC Lathes, to Suit Okuma LT15M CNC Lathe, ER32 collets. Eppinger 9.655.088, s/n 180929-1 1:1, 5,000rpm, VDI 40	Call for Price
8740	<u>Used Doosan Axial Driven Tool Holder for CNC Lathes</u> Used Doosan Axial Driven Tool Holder for CNC Lathes, to suit Doosan Puma 2000M or similar Doosan, ER25 collet, Eppinger Preci-flex,, s/n409939-R1, ref no. 7.071.940, 1:1 ratio, max 6,000rpm. Bearing needs replacing. BMT55 Size	£850

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

8726 **Used Okuma Axial Driven Tool Holder for CNC Lathes** Used Okuma Axial Driven Tool Holder for CNC Lathes, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.608.088, s/n 192477-2 1:2, 8,000rpm. VDI 40 Call for Price

8084 **Nikken HSK100A** Precision chuck backend – UNUSED £40

8083 **Showa HSK100A** shrink fit backend – UNUSED £40

TOOL HOLDER FOR MANUAL MACHINES

4513 **Algra Quick Change Tool Post and holders** Algra Quick Change Tool Post and holders, Standard holder (gap), Vee holder (accepts bars), MT3 holder Call for Price

TOOL SETTERS

4486 **Used Kelch Kalimat C36 /1C Semi Automatic Tool Presetter** Used Kelch Kalimat C36 /1C Semi Automatic Tool Presetter, 2006, s/n 1547, Measuring envelope for long cutting tools “Z” axis Length = 600mm / “X” axis Dia = 400mm, Powered CNC “C” Axis spindle motorized automatic spindle rotation, Pneumatic power clamping of tool in spindle, Rebuilt PC control running on Windows XP Professional, Kelch Easy Webset V5.00 measuring software, Kelch “MPS” (Modular precision spindle) Micron accurate base spindle for use with MPS tool type insert modules, SK/BT 40 “MPS” Insert Module, SK/BT 40 Gripper Jaws for MPS Insert, SK/BT50 “MPS” Insert Module, SK/BT50 Gripper Jaws for MPS Insert, SK40 Calibration Bar for Camera presetter to set Zero Point, SK50 Calibration Bar for Camera presetter to set Zero Point, Presetter mounted on Kelch TUL rack with TUL blocks for MPS Inserts and Calibration bar storage, TFT Monitor, Keyboard & Mouse, White original Kelch Germany supplied Folder with all original system software discs and back up stick. Machine been serviced on an annual basis by Kelch UK. Machine can be delivered to UK Customer and installed. Option to have on-site training of the machine and measuring software by Kelch UK staff at additional cost. Call for Price

RENISHAW

9650 **Renishaw Styli Probe: A-5003-6510** Renishaw Styli Probe: A-5003-6510 , M4 Ø6 mm ruby ball, carbon fibre stem, L 100 mm, EWL 88.5 mm £55

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

9651 **Renishaw Styli Probe: A-5000-7795** Renishaw Styli Probe: A-5000-7795, M4 Ø8 mm ruby ball, ceramic stem, L 50 mm, EWL 50 mm £35

SWARF CONVEYORS AND BINS

4594 **Used Swarf Conveyor for CNC machines** Used Swarf Conveyor for CNC machines, Overall dimensions 2,600, x 500 x 1,280mm high, Drop to floor 680mm, Tray under machine 1,600mm long x 260mm wide – conveyor opening 1,040mm long. From XYZ 710 Call for Price

3142 **Used Cromar Swarf Conveyor for CNC Machines** Used Cromar Swarf Conveyor for CNC Machines, Suitable for Cast Iron, 2015, s/n M450001A, Overall dimensions 3,700mm x 1,060mm x 1,700mm high, Drop to floor 1,200mm, Tray opening 2,600mm long x 400mm wide. Call for Price

GRINDING ACCESSORIES INCL MAG CHUCKS

LATHES, MILLS, BORERS, DRILLS, TAPPERS, GRINDERS, GEAR MACHINES, LAPPERS, HONING, EDM

4481 **Used Jones & Shipman 1305EIT Universal Grinder** Used Jones & Shipman 1305EIT Universal Grinder, 1980, s/n BO97748, table dresser, faceplate, fixed steady, travelling steady, 3-jaw chuck, spare flange, tailstock, internal spindles, double swivel wheelhead, Coolant, dust, 254mm swing x 1000mm centres Call for Price

3693 **Used XYZ Edge CNC Turret Mill** Used XYZ Edge CNC Turret Mill, 2007, s/n 0507038, ProtoTRAK Edge Control, table size 1270 x 254mm, trav 762 x 406 x 406mm, quill travel 127mm, R8 taper Call for Price

4530 **Used OKK RAMO Manual Centre Lathe** Used OKK RAMO Manual Centre Lathe, Model T-45-10, s/n 358, 200mm centre height, 1,000 between centres, gearbox 73 to 1,700RPM, 18 off speeds, 250mm dia 3-jaw chuck, DRO, Chuck guard Call for Price

4294 **Used XYZ Manual E Mill 2000** Used XYZ Manual E Mill 2000, 2006, s/n D608052, 3HP, table 1270 x 254mm, trav 785 manual – 735mm power feed x 406 x 406mm, quill trav 127mm, 60 – 4200 rpm variable speed, R8 taper, power drawbar, 2 axis DRO, swarf tray Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4608 **Used XYZ KMX2000 CNC Milling Machine** Used XYZ KMX2000 CNC Milling Machine, 2021, s/n KM210029, KMX Control, table 1270 x 254mm, trav 753 x 380 x 460mm x 127mm quill, R8 spindle taper, power drawbar, c/w Drip tray, Table guards Call for Price

3631 **Used XYZ ProtoTRAK SMX2000 CNC Mill** Used XYZ ProtoTRAK SMX2000 CNC Mill, 2008, s/n 10868, 2 Axis Control, Power Drawbar, Table Size 1270 x 254mm, trav 750 x 380 x 127mm, R8 Taper, Options t.b.c. Call for Price

PRESSES, SAWS, SHEET METAL, WELDING, FINISHING, WOODWORKING

4460 **Used Qualters & Smith 6? Sawmaster Hacksaw** Used Qualters & Smith 6" Sawmaster Hacksaw, Type QSH6, 6" cutting capacity on round bar, 2 speed, 100/150 strokes per minute, Fully adjustable hydraulic feed, Heavy duty vice, adjustable to 45 degrees, 130mm stroke length, motor 0.66hp, 1,000RPM, floor space 1,050 x 770mm, blade size 14 x 1" Call for Price

4562 **Used Mega BS250HAS Automatic Horizontal Bandsaw** Used Mega BS250HAS Automatic Horizontal Bandsaw, 1998, s/n 980204, Cutting capacity round -250mm, rectangular 300 x 180mm/280x250mm, Blade speed 25-80m/min, (82-260ft/min), swarf conveyor Call for Price

4044 **Welding Curtain** Welding Curtain, 2,000mm wide x 1,930mm tall Call for Price

3323 **Used Swager. Manually operated** Used Swager. Manually operated Call for Price

4380 **Used Phillipson Contour Belt Sander, Model CBS1** Phillipson Contour Belt Sander, Model CBS1, s/n.00-28, Belt bar 40mm wide, two speed 1.3/1.85kws, Table size 700 x 700mm, table tilt with accurtilt vernier,adjustment +/- 45 degrees, 0.10? divisions Call for Price

4484 **Used Guyson Blast Cleaning Cabinet, Model Super 6** Used Guyson Blast Cleaning Cabinet, Model Super 6, s/n A16253, Work envelope 1,050mm wide, 750mm deep, 800mm high, External dimensions 1,120 x 800 x 1,700mm high, Manual machine, venturi feed blast cabinet, Front access door 980 x 870mm, Side access door 545 x 530mm, Front window, removable rotary table, fixed gun holster, air pressure regulator, Weight 100kgs, separate dust collection unit. Size of dust unit 850 x 850 x 1,120mm high Call for Price

4229 **Used Eco-400 Gemini Cleaning Unit** Eco-400 Gemini Cleaning Unit, s/n 532-08-18, 2018, Used for the washing of small parts, typically from 3D printing process, capacity 490 x 390 x 200mm, single phase Call for Price

COMPRESSORS

4066 **Used HPC ASK32 Compressor** HPC ASK32 Compressor, Sigma, 2011, s/n 1935, 113cfm, 8 bar pressure. On Hours 32103, Load Hours 22926 Call for Price

4266 **Used HPC Kaeser ASD40T Aircentre Compressor** Used HPC Kaeser ASD40T Aircentre Compressor, 2018, 22KW, 7.5 operating Pressure, 3.9m³/min, c/w built in refrigerant drier, hours – Power on 20,500 hrs, Load time 16,750 hrs Call for Price

4568 **Used HPC Air Tower, Model TU11** Used HPC Air Tower, Model TU11, 2000, s/n 1442, product no.1.8012.2, working pressure 16 bar, 230 volt, complete with Receiver Call for Price

4569 **Used HPC SM12 Compressor** Used HPC SM12 Compressor, 2007, s/n 1520, part no. 100740.0, 7.5KW Power, rated motor speed 2930 1/min, Max working pressure 8 bar, c/w receiver Call for Price

INSPECTION

4406 **Crown Windley Granite Surface Plate on stand** Crown Windley Granite Surface Plate on stand, 2? x 2? x 4" deep, height on stand 1,050mm Call for Price

4080 **Granite Inspection Block** Granite Inspection Block, 300 x 300 x 300mm Call for Price

GENERAL, JIB ARM CRANES, PALLET TRUCKS

3085 **Met Rack 125kg Jib Arm Crane** Met Rack 125kg Jib Arm Crane, Unused, 2014 Call for Price

4165 **Used Absolent ODF1000S Oil Mist Filtration Unit** Used Absolent ODF1000S Oil Mist Filtration Unit, 2007, s/n 20070349, First stage and second stage filters, 400V, 0.55kw, Outlet 150mm diameter, Dimensions 1,900 x 650 x 650mm, (Pok,Fg) Call for Price

3237 **Granite Table, 3ft x 4ft on stand** Granite Table, 3ft x 4ft on stand. For general use, not calibrated £450

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4269	<u>Used HPC Kaeser TCH 45 Refrigeration Drier</u> HPC Kaeser TCH 45 Refrigeration drier, 2021, 16 bar, 4.5m3/min	Call for Price
4265	<u>Used Absolent ODF800 Oil Mist Filtration Unit</u> Used Absolent ODF800 Oil Mist Filtration Unit, 2009, s/n20090714, first stage and second stage filters, 400V, 0.55KW, Inlet diameter 125mm x 2 off, Dimensions 380 x 620 x 1,800mm high, on legs. (Pok,Fok)	Call for Price
4593	<u>Used Windley Steel Table 6' x 3' x 880mm high</u> Used Windley Steel Table 6" x 3" x 880mm high, on stand. Not sold as an inspection table	Call for Price
4251	<u>Used Absolent Oil Mist Filtration Unit, Model A.Mist 20</u> Used Absolent Oil Mist Filtration Unit, Model A.Mist 20, 2015, s/n 20151280, 2 x pre-filters, 1 x absolute filter, Maximum flow 2,000M3/hour, Inlet connector 200mm dia x 3 off, Dimensions 620 x 620 x 2060mm high, weight with dry filter 215kgs, 230V, 2.2KW(Pb,Fok)	Call for Price
3308	<u>Granite Surface Table</u> Granite Surface table mounted on a cabinet. 600 x 1,200 x 200mm thick	£650
4278	<u>Used Toyota BT Staxio Pedestrian Forklift</u> Toyota BT Staxio Pedestrian Forklift, Model SPE160, 2011, s/n 6149965, Load capacity 1,600kgs, Max height 4,000mm, Max battery capacity 255Ah, Voltage 24 volt, Top speed 8km/h. Complewte with, flip down platform, folding side guards, sensitive lift control,	Call for Price
4280	<u>Used Logitrans Electric Stacker</u> Used Logitrans Electric Stacker, Model Selfs Mini 1002, 2013, s/n 134E24112066, Capacity 1,000kgs, Lift height 890mm, Load centre 575mm, Motor 700W, Hydraulic motor 1,200W, Battery 24V, Battery weight 130kgs, Overall weight 314kgs	Call for Price
4275	<u>Used HSM V-Press 610</u> Used HSM V-Press 610, 2018, s/n 570000767, Machine no. 6110.154, pressing power 12 tons (120kn), Bail weight up to 11kg, bale size – 800mm long, 600mm wide, 600mm high, Overall dimensions 1,198 x 823 x 1,986mm, weight 540kgs, filling opening 800 x 495mm, press box dimensions 800 x 600 x 1,045mm high, 3kw motor, 3 phase power supply. Made in Germany	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.